Author Index of Volume 214

Ainscough, E.W., 21
Asato, E., 159

Baker, A.T., 169
Baranovski, V.I., 113
Batista, A.A., 23
Becker, B., 9
Benetollo, F., 85
Bertani, R., 85
Bombieri, G., 85
Bridson, J.N., 67
Brodie, A.M., 21
Brückner, S., 185
Buchanan, R.M., 33
Burger, K., 57

Carrano, C.J., 141
Cecconi, F., 13
Chen, L., 67
Chung, Y.K., 125
Coates, J.H., 77
Coll, R.K., 21
Crass, J.K., 169

de Brito, M.A., 5
De Santis, G., 193
Dey, B., 77
Drago, V., 5
Duckworth, P.A., 77

Esteves, M.A., 47

Fabbrizzi, L., 193
Ferreira, K.S.M., 23
Franco, D.W., 23
Fraústo da Silva, J.J.R., 85
Fujiwara, Y., 29

Gajda, T., 57
Ghilardi, C.A., 13
Griesar, K., 5
Guedes da Silva, M.F.C., 85
Gyurcsik, B., 57

Haase, W., 5
Hamada, T., 1
Hidaka, J., 135
Hol, C.M., 159
Holub, J., 17
Holwerda, R.A., 145
Hosohara, S., 97
Hountas, A., 153
Hulsbergen, F.B., 159

Jhanji, A.K., 141

Kang, Y.K., 125
Katsoulos, G.A., 153
Kennedy, J.D., 17
Kida, S., 97
Klooster, N.T.M., 159
Kodera, M., 97
Kok, G.B., 169
Konno, T., 135
Korecz, Jr., L., 57
Koura, N., 97

Latour, J.-M., 33
Lee, T.-Y., 125
Li, Y.J., 103
Licchelli, M., 193
Lincoln, S.F., 77

Madoka, M., 135
Mair, A.J.A., 21
Mangano, C., 193
Martell, A.E., 103
Mascarenhas, Y.P., 5
Menabue, L., 185
Miah, Md.A.A., 181
Michelin, R.A., 85
Midollini, S., 13
Miyazaki, M., 29
Moreira, I.d.S., 23
Mozzon, M., 85

Nagy, L., 57
Nestor, K., 17
Neves, A., 5
Nishimura, M., 97

O'Brien, R.J., 33
O'Connor, C.J., 145
Ohba, M., 97
Okamoto, K., 135
Okawa, H., 97
Orbell, J.D., 169
Orlandini, A., 13
Ozawa, T., 29

Pallavicini, P., 193
Parsons, E.J., 177
Peters, E.-M., 9
Peters, K., 9
Phillips, D.J., 181
Pike, R.D., 125
Plicas, L.M.A., 23
Pombeiro, A.J.L., 85

Reedijk, J., 159
Rheingold, A.L., 41
Richardson, J.F., 33
Rockenbauer, A., 57

Saisuwan, P., 41
Saladini, M., 185
Sandí-Ureña, S., 177
Santos, M.A., 47
Sigalas, M.P., 153
Simões Gonçalves, M.L.S., 47
Sizova, O.V., 113
Štíbr, B., 17
Sweigart, D.A., 125

Tanaka, T., 1
Tekut, T.F., 145
Terzis, A., 153
Tfouni, E., 23
Thomas, N.C., 41
Thompson, L.K., 67
Tolazzi, M., 185
Tornero, J.D., 197
Tsipis, C.A., 153
Tsukube, H., 1
Tudela, D., 197

Ueda, J., 29
Uenishi, J., 1

Vasconcellos, L.C.G., 23
Vaz, M.C.T., 47
Vencato, I., 5
von Schnering, H.G., 9

Wainwright, K.P., 77
Waters, J.M., 21
Wojnowski, W., 9

Xanthopoulos, C.E., 153

Yuriev, E., 169

Elsevier Sequoia

Subject Index of Volume 214

Alkyl urea complexes
  cis–trans Isomerism in tetrabromobis(1,3-dimethylurea)-tin(IV), 197
Amine complexes
  substituent effects on the physical properties of (μ-oxo)(μ-carboxylato)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers, 145
  sterically restrictive metal complexes. The synthesis and structural characterization of (1,2-bis(6-methylpyridin-2-yl)ethane-*N*,*N*′)- (malonato)palladium(II) trihydrate. Proton NMR binding studies to cytosine and guanine derivatives, 169
Amino acid complexes
  proton, copper(II) and nickel(II) complexes of some Amadori rearrangement products of D-glucose and amino acids, 57
  coordination behaviour of Ar-SO_2-*N*-amino acids toward the Mn(II) ion. Crystal and molecular structure of $[Mn(tsgln)_2]$ and $[Mn(ts\text{-}DL\text{-}\alpha\text{-}ala)_2(H_2O)]\cdot 2.78H_2O\cdot 0.92CH_3OH$, 185
Arene complexes
  manganese-mediated synthesis of *cis*-disubstituted cyclohexadienes via double nucleophilic addition to coordinated arenes, 125

Bidentate ligand complexes
  potentiometric and spectrophotometric determination of stabilities of the 1-hydroxy-2-pyridinone complexes of trivalent and divalent metal ions, 103
  sterically restrictive metal complexes. The synthesis and structural characterization of (1,2-bis(6-methylpyridin-2-yl)ethane-*N*,*N*′)- (malonato)palladium(II) trihydrate. Proton NMR binding studies to cytosine and guanine derivatives, 169
Binuclear complexes
  synthesis and properties of a binuclear (μ-oxo) diiron(III) complex containing a tripodal polybenzimidazole ligand, 33
  synthesis and characterization of dicopper(II,II) and diiron(III,III) complexes with a dinucleating tetraimidazole ligand, 1,5-bis[bis(4-imidazolylmethyl)amino]-3-pentanol, 97
Bismuth complexes
  synthesis, structure and spectroscopic properties of bismuth citrate compounds. Part II. Comparison between crystal structures of solid bismuth citrates and commercial CBS, using thermal and spectroscopic methods, 159

Carbonyl complexes
  the synthesis and single-crystal X-ray structure of $[\{Os_3H(CO)_{10}\}_3(S_3C_3N_3)]$; a novel osmium cluster containing three linked osmium triangles, 21
  ruthenium carbonyl complexes of N-heterocyclic molecules. Part 3. Synthesis of ruthenium complexes of the ambidentate ligand 4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole (APT). X-ray crystal structures of two coordination isomers of $Ru(CO)_2Cl_2$(APT), 41
  the electronic structure of $Co_4(CO)_{12}$ and $Co_3S(CO)_9$, 113
Carboxylato complexes
  substituent effects on the physical properties of (μ-oxo)(μ-carboxylato)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers, 145
Chalcogen complexes
  dimerization of the stellated octahedral unit $Co_6S_8P_6$: synthesis and X-ray crystal structure of $[Co_{12}(\mu_3\text{-}S)_{14}(\mu_4\text{-}S)_2(PEt_3)_{10}][TCNQ]_2$, where TCNQ = tetracyanoquinodimethane, 13
Chelate complexes
  potentiometric and spectrophotometric determination of stabilities of the 1-hydroxy-2-pyridinone complexes of trivalent and divalent metal ions, 103
  preparation and molecular structure of a cobalt(III) complex with a sexidentate pyridoxal derivative [Co(Htpdh)] (tpdh = 1,3,4,6-tetrakis[4-(2-methyl-3-hydroxy-5-hydroxymethyl)pyridyl]-2,5-diaza-1,5-hexadiene), 135
  sterically restrictive metal complexes. The synthesis and structural characterization of (1,2-bis(6-methylpyridin-2-yl)ethane-*N*,*N*′)- (malonato)palladium(II) trihydrate. Proton NMR binding studies to cytosine and guanine derivatives, 169
Chelate ligand complexes
  siderophore analogues. Chelating properties of a new cyclic diaza-dihydroxamic acid, 47
Chromium complexes
  substituent effects on the physical properties of (μ-oxo)(μ-carboxylato)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers, 145
Citrate complexes.
  synthesis, structure and spectroscopic properties of bismuth citrate compounds. Part II. Comparison between crystal structures of solid bismuth citrates and commercial CBS, using thermal and spectroscopic methods, 159
Cluster complexes
  dimerization of the stellated octahedral unit $Co_6S_8P_6$: synthesis and X-ray crystal structure of $[Co_{12}(\mu_3\text{-}S)_{14}(\mu_4\text{-}S)_2(PEt_3)_{10}][TCNQ]_2$, where TCNQ = tetracyanoquinodimethane, 13
  polyhedral metallacarbathiaborane chemistry. Designed synthetic routes to nine-vertex mixed diheteromonometallaborane cluster compounds, 17
  the synthesis and single-crystal X-ray structure of $[\{Os_3H(CO)_{10}\}_3(S_3C_3N_3)]$; a novel osmium cluster containing three linked osmium triangles, 21
  the electronic structure of $Co_4(CO)_{12}$ and $Co_3S(CO)_9$, 113
Cobalt complexes
  dimerization of the stellated octahedral unit $Co_6S_8P_6$: synthesis and X-ray crystal structure of $[Co_{12}(\mu_3\text{-}S)_{14}(\mu_4\text{-}S)_2(PEt_3)_{10}][TCNQ]_2$, where TCNQ = tetracyanoquinodimethane, 13
  complexation of cobalt(II), nickel(II) and copper(II) by the pendant arm macrocyclic ligand *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane, 77
  the electronic structure of $Co_4(CO)_{12}$ and $Co_3S(CO)_9$, 113
  preparation and molecular structure of a cobalt(III) complex with a sexidentate pyridoxal derivative [Co(Htpdh)]

(tpdh = 1,3,4,6-tetrakis[4-(2-methyl-3-hydroxy-5-hydroxymethyl)pyridyl]-2,5-diaza-1,5-hexadiene), 135
mono- versus dinuclear cobalt complexes of a binucleating Schiff base ligand, 177
Copper complexes
specific recognition of copper ion by lipid-bound double armed crown ether, 1
chemistry of silicon–sulfur compounds. Part 64. Crystal and molecular structure of (tri-tert-butoxysilanethiolato)bis(triphenyl- phosphine)copper(I) (t-$C_4H_9O)_3$-SiSCu[$P(C_6H_5)_3]_2$, 9
siderophore analogues. Chelating properties of a new cyclic diaza-dihydroxamic acid, 47
proton, copper(II) and nickel(II) complexes of some Amadori rearrangement products of D-glucose and amino acids, 57
dinuclear copper(II) and copper(I) complexes of tetradentate (N_4) thio-diazine ligands; synthetic, structural, magnetic and electrochemical studies. *In situ* oxidation of copper(I) complexes to produce dinuclear hydroxo-bridged copper(II) complexes, 67
complexation of cobalt(II), nickel(II) and copper(II) by the pendant arm macrocyclic ligand *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane, 77
synthesis and characterization of dicopper(II,II) and diiron(III,III) complexes with a dinucleating tetraimidazole ligand, 1,5-bis[bis(4-imidazolylmethyl)amino]-3-pentanol, 97
crystal structure, magnetic properties and orbital interactions of the binuclear fumarato-bridged bis[(*N*-(2-diethylamino)ethyl)salicylidenaminato)copper(II)] complex, 153
Crown ether complexes
specific recognition of copper ion by lipid-bound double armed crown ether, 1
Crystal structures
synthesis, crystal structure and properties of a new binuclear iron(III) complex as a model for the purple acid phosphatases, 5
chemistry of silicon–sulfur compounds. Part 64. Crystal and molecular structure of (tri-tert-butoxysilanethiolato)bis(triphenyl- phosphine)copper(I) (t-$C_4H_9O)_3$-SiSCu[$P(C_6H_5)_3]_2$, 9
dimerization of the stellated octahedral unit $Co_6S_8P_6$: synthesis and X-ray crystal structure of $[Co_{12}(\mu_3\text{-}S)_{14}(\mu_4\text{-}S)_2(PEt_3)_{10}][TCNQ]_2$, where TCNQ = tetracyanoquinodimethane, 13
the synthesis and single-crystal X-ray structure of [{$Os_3H(CO)_{10}$}$_3(S_3C_3N_3)$]; a novel osmium cluster containing three linked osmium triangles, 21
synthesis and properties of a binuclear (μ-oxo) diiron(III) complex containing a tripodal polybenzimidazole ligand, 33
ruthenium carbonyl complexes of N-heterocyclic molecules. Part 3. Synthesis of ruthenium complexes of the ambidentate ligand 4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole (APT). X-ray crystal structures of two coordination isomers of $Ru(CO)_2Cl_2$(APT), 41
dinuclear copper(II) and copper(I) complexes of tetradentate (N_4) thio-diazine ligands; synthetic, structural, magnetic and electrochemical studies. *In situ* oxidation of copper(I) complexes to produce dinuclear hydroxo-bridged copper(II) complexes, 67
reactivity of [$Pt(CH_2{=}CH_2)(PPh_3)_2$] toward ethyldiazocetate. Synthesis and molecular structure of the diethyl fumarate complex [Pt{*trans*-$CH(CO_2Et){=}$ $CH(CO_2Et)$}$(PPh_3)_2$] and preparation of the analogous diethyl maleate compound, 85
preparation and molecular structure of a cobalt(III) complex with a sexidentate pyridoxal derivative [Co(Htpdh)] (tpdh = 1,3,4,6-tetrakis[4-(2-methyl-3-hydroxy-5-hydroxymethyl)pyridyl]-2,5-diaza-1,5-hexadiene), 135
crystal structure, magnetic properties and orbital interactions of the binuclear fumarato-bridged bis[(*N*-(2-diethylamino)ethyl)salicylidenaminato)copper(II)] complex, 153
synthesis, structure and spectroscopic properties of bismuth citrate compounds. Part II. Comparison between crystal structures of solid bismuth citrates and commercial CBS, using thermal and spectroscopic methods, 159
sterically restrictive metal complexes. The synthesis and structural characterization of (1,2-bis(6-methylpyridin-2-yl)ethane-*N*,*N*′)-(malonato)palladium(II) trihydrate. Proton NMR binding studies to cytosine and guanine derivatives, 169
coordination behaviour of Ar-SO_2-*N*-amino acids toward the Mn(II) ion. Crystal and molecular structure of [Mn(tsgln)$_2$] and [Mn(ts-DL-α-ala)$_2(H_2O)]\cdot 2.78H_2O\cdot 0.92CH_3OH$, 185
Cyanide complexes
properties of triethylphosphite complexes of pentacyanoferrate(II) and (III). Cyanide photolabilization in a pentacyanoferrate(II) complex with a monodentate ligand, 23

Diene complexes
manganese-mediated synthesis of *cis*-disubstituted cyclohexadienes via double nucleophilic addition to coordinated arenes, 125
Dinuclear complexes
substituent effects on the physical properties of (μ-oxo)(μ-carboxylato)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers, 145
crystal structure, magnetic properties and orbital interactions of the binuclear fumarato-bridged bis[(*N*-(2-diethylamino)ethyl)salicylidenaminato)copper(II)] complex, 153
mono- versus dinuclear cobalt complexes of a binucleating Schiff base ligand, 177
ligand behaviour of a bis-pyridazinecarboxamide nickel(II) complex towards metal 1,1-dithiolates. Formation of pyridazine-bridged complexes Ni(bpdpn)Ni$(R_2dtp)_2$ (H_2bpdpn = *N*,*N*′-bis(3′-pyridazinecarboxamide)-1,3-propane; R_2dtp^- = dialkyldithiophosphate), 181
Dinucleating ligand complexes
synthesis and characterization of dicopper(II,II) and diiron(III,III) complexes with a dinucleating tetraimidazole ligand, 1,5-bis[bis(4-imidazolylmethyl)amino]-3-pentanol, 97

Electronic structures
the electronic structure of $Co_4(CO)_{12}$ and $Co_3S(CO)_9$, 113

Ferrocene complexes
appending two non-equivalent ferrocene fragments to a metallocyclam core, 193
Fumarato complexes
crystal structure, magnetic properties and orbital interactions of the binuclear fumarato-bridged bis[(*N*-(2-diethylamino)ethyl)salicylidenaminato)copper(II)] complex, 153

Glucose complexes
proton, copper(II) and nickel(II) complexes of some Amadori rearrangement products of D-glucose and amino acids, 57

Heterocyclic ligand complexes
ruthenium carbonyl complexes of N-heterocyclic molecules. Part 3. Synthesis of ruthenium complexes of the ambidentate ligand 4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole (APT). X-ray crystal structures of two coordination isomers of $Ru(CO)_2Cl_2$(APT), 41
Hydrogen peroxide complexes
SOD-like activity of complexes of nickel(II) ion with some biologically important peptides and their novel reactions with hydrogen peroxide, 29

Iron complexes
synthesis, crystal structure and properties of a new binuclear iron(III) complex as a model for the purple acid phosphatases, 5
properties of triethylphosphite complexes of pentacyanoferrate(II) and (III). Cyanide photolabilization in a pentacyanoferrate(II) complex with a monodentate ligand, 23
synthesis and properties of a binuclear (μ-oxo) diiron(III) complex containing a tripodal polybenzimidazole ligand, 33
siderophore analogues. Chelating properties of a new cyclic diaza-dihydroxamic acid, 47
synthesis and characterization of dicopper(II,II) and diiron(III,III) complexes with a dinucleating tetraimidazole ligand, 1,5-bis[bis(4-imidazolylmethyl)amino]-3-pentanol, 97

Kinetics and mechanism
siderophore analogues. Chelating properties of a new cyclic diaza-dihydroxamic acid, 47
complexation of cobalt(II), nickel(II) and copper(II) by the pendant arm macrocyclic ligand *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane, 77

Macrocyclic ligand complexes
complexation of cobalt(II), nickel(II) and copper(II) by the pendant arm macrocyclic ligand *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane, 77
appending two non-equivalent ferrocene fragments to a metallocyclam core, 193
Magnetism
dinuclear copper(II) and copper(I) complexes of tetradentate (N_4) thio-diazine ligands; synthetic, structural, magnetic and electrochemical studies. *In situ* oxidation of copper(I) complexes to produce dinuclear hydroxo-bridged copper(II) complexes, 67
crystal structure, magnetic properties and orbital interactions of the binuclear fumarato-bridged bis[(*N*-(2-diethylamino)ethyl)salicylidenaminato)copper(II)] complex, 153
Manganese complexes
manganese-mediated synthesis of *cis*-disubstituted cyclohexadienes via double nucleophilic addition to coordinated arenes, 125
coordination behaviour of Ar-SO_2-*N*-amino acids toward the Mn(II) ion. Crystal and molecular structure of [Mn(tsgln)$_2$] and [Mn(ts-DL-α-ala)$_2$(H_2O)]·2.78H_2O·0.92CH_3OH, 185

Metallaborane complexes
polyhedral metallacarbathiaborane chemistry. Designed synthetic routes to nine-vertex mixed diheteromonometallaborane cluster compounds, 17
Metallacarbathiaborane complexes
polyhedral metallacarbathiaborane chemistry. Designed synthetic routes to nine-vertex mixed diheteromonometallaborane cluster compounds, 17
Multidentate ligand complexes
dinuclear copper(II) and copper(I) complexes of tetradentate (N_4) thio-diazine ligands; synthetic, structural, magnetic and electrochemical studies. *In situ* oxidation of copper(I) complexes to produce dinuclear hydroxo-bridged copper(II) complexes, 67
preparation and molecular structure of a cobalt(III) complex with a sexidentate pyridoxal derivative [Co(Htpdh)] (tpdh = 1,3,4,6-tetrakis[4-(2-methyl-3-hydroxy-5-hydroxymethyl)pyridyl]-2,5-diaza-1,5-hexadiene), 135
vanadium(V) complexes of sulfonated 1,5,10-tris(2,3-dihydroxybenzoyl)-1,5,10-triazadecane as catalysts for the Stretford process, 141

Nickel complexes
SOD-like activity of complexes of nickel(II) ion with some biologically important peptides and their novel reactions with hydrogen peroxide, 29
proton, copper(II) and nickel(II) complexes of some Amadori rearrangement products of D-glucose and amino acids, 57
complexation of cobalt(II), nickel(II) and copper(II) by the pendant arm macrocyclic ligand *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane, 77
ligand behaviour of a bis-pyridazinecarboxamide nickel(II) complex towards metal 1,1-dithiolates. Formation of pyridazine-bridged complexes Ni(bpdpn)Ni(R_2dtp)$_2$ (H_2bpdpn = *N*,*N*′-bis(3′-pyridazinecarboxamide)-1,3-propane; R_2dtp^- = dialkyldithiophosphate), 181

Olefin complexes
reactivity of [Pt(CH_2=CH_2)(PPh_3)$_2$] toward ethyldiazocetate. Synthesis and molecular structure of the diethyl fumarate complex [Pt{*trans*-CH(CO_2Et)=CH(CO_2Et)}(PPh_3)$_2$] and preparation of the analogous diethyl maleate compound, 85
Osmium complexes
the synthesis and single-crystal X-ray structure of [{Os_3H(CO)$_{10}$}$_3$($S_3C_3N_3$)]; a novel osmium cluster containing three linked osmium triangles, 21
Oxo complexes
synthesis and properties of a binuclear (μ-oxo) diiron(III) complex containing a tripodal polybenzimidazole ligand, 33
substituent effects on the physical properties of (μ-oxo)(μ-carboxylato)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers, 145

Palladium complexes
sterically restrictive metal complexes. The synthesis and structural characterization of (1,2-bis(6-methylpyridin-2-yl)ethane-*N*,*N*′)- (malonato)palladium(II) trihydrate. Proton NMR binding studies to cytosine and guanine derivatives, 169
Peptide complexes
SOD-like activity of complexes of nickel(II) ion with some biologically important peptides and their novel reactions with hydrogen peroxide, 29

Phosphite complexes
properties of triethylphosphite complexes of pentacyanoferrate(II) and (III). Cyanide photolabilization in a pentacyanoferrate(II) complex with a monodentate ligand, 23
Photochemistry
properties of triethylphosphite complexes of pentacyanoferrate(II) and (III). Cyanide photolabilization in a pentacyanoferrate(II) complex with a monodentate ligand, 23
Platinum complexes
reactivity of [Pt(CH_2=CH_2)(PPh_3)$_2$] toward ethyldiazocetate. Synthesis and molecular structure of the diethyl fumarate complex [Pt{*trans*-CH(CO_2Et)=CH(CO_2Et)}(PPh_3)$_2$] and preparation of the analogous diethyl maleate compound, 85
Polydentate ligand complexes
ligand behaviour of a bis-pyridazinecarboxamide nickel(II) complex towards metal 1,1-dithiolates. Formation of pyridazine-bridged complexes Ni(bpdpn)Ni(R_2dtp)$_2$ (H_2bpdpn = *N*,*N'*-bis(3'-pyridazinecarboxamide)-1,3-propane; R_2dtp^- = dialkyldithiophosphate), 181
Polydentate thiol ligand complexes
the synthesis and single-crystal X-ray structure of [{Os_3H-(CO)$_{10}$}$_3$($S_3C_3N_3$)]; a novel osmium cluster containing three linked osmium triangles, 21
Purple acid phosphatase complexes
synthesis, crystal structure and properties of a new binuclear iron(III) complex as a model for the purple acid phosphatases, 5

Ruthenium complexes
ruthenium carbonyl complexes of N-heterocyclic molecules. Part 3. Synthesis of ruthenium complexes of the ambidentate ligand 4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole (APT). X-ray crystal structures of two coordination isomers of Ru$(CO)_2Cl_2$(APT), 41

Schiff base complexes
mono- versus dinuclear cobalt complexes of a binucleating Schiff base ligand, 177
Sequestering agent complexes
siderophore analogues. Chelating properties of a new cyclic diaza-dihydroxamic acid, 47
Silanethiolato complexes
chemistry of silicon–sulfur compounds. Part 64. Crystal and molecular structure of (tri-tert-butoxysilanethiolato)bis(triphenyl- phosphine)copper(I) (t-$C_4H_9O)_3$-SiSCu[$P(C_6H_5)_3$]$_2$, 9
Stability constants
potentiometric and spectrophotometric determination of stabilities of the 1-hydroxy-2-pyridinone complexes of trivalent and divalent metal ions, 103
Sulfur complexes
the electronic structure of $Co_4(CO)_{12}$ and $Co_3S(CO)_9$, 113

Tin complexes
cis–trans Isomerism in tetrabromobis(1,3-dimethylurea)-tin(IV), 197
Transition metal complexes
potentiometric and spectrophotometric determination of stabilities of the 1-hydroxy-2-pyridinone complexes of trivalent and divalent metal ions, 103

Vanadium complexes
vanadium(V) complexes of sulfonated 1,5,10-tris(2,3-dihydroxybenzoyl)-1,5,10-triazadecane as catalysts for the Stretford process, 141